

Box 27 Folder 45

circa 1940-1950

facts appeared consistently at most of the sites and might be considered diagnostic of this cultural complex. It was also possible to determine what artifacts were aberrant forms in this culture and which ones were probably trade items, as well as to eliminate certain sites that did not have the diagnostic artifacts and could therefore be considered as belonging to a totally different culture complex. The following was only done with the Tamaulipas materials as our time was very limited. However, the materials from Texas were also cursively gone over and for the most part were identical to those seventy-six in Mexico (except four which were assigned by Andersen to the Old Cayo complex and about which I will discuss later.

Description of the Brownsville Complex

The distribution of sites shows that this complex occupied an area north of the San Fernando River to the northern border of Cameron County, Texas, along the Gulf coast. Nowhere do these appear to have extended twenty-five miles inland from the coast. As a rule, the sites are found on small knolls near water or near extinct water depressions. The average site is characterized by pieces of broken shell scattered on its surface, a few chunks of burned clay or whole fired clay hearth areas, soil darkened by charcoal or decayed vegetable matter, and scattered flint chips and actual artifacts. The sites are generally small, usually less than one hundred yards in diameter, the average being about fifteen yards in diameter. From what could be observed from Arroyo, erosion and a little preliminary testing, it appears that the culture strata is never more than six inches in thickness. The average is about two inches. Occasionally, flexed burials in pits without artifacts (except for those few having Huastec items) are present in or near the sites. The sites cer-

tainly appear to be the remains of a nomadic group with a hunting and fishing economy (see Figure 13).

Characteristic of the Brownsville Complex are small triangular projectile points. Two hundred and fifty-eight of these are to be found upon sixty of the seventy-six Brownsville complex sites. These points I have divided into three types on the basis of form (and which show some chronological significance). These three types are called Brownsville Concave, Rio Grande Concave Base and Matamoras Triangular.

Brownsville Concave (see Plate XXII, figures 1, 2, and 3). These points vary between one-half inch long and one and one-quarter inches, are narrow (varying between one-half inch and one inch) and have slightly concave edges and a well defined concave base. They are usually thin and show finely executed retouching along their edges. Eighty-three of these were found at forty sites. This type is probably later than the other as it is associated most often with Huastec VI sherds and five points of this type are made of green bottle glass (see Plate XXII, figure 4).

Rio Grande Concave Base. These points are about the same size as the one previously mentioned. A difference lies in the fact that the edges are slightly convex while the bases are concave. The chipping appears to be the same. Ninety-four of these were found at thirty sites (Plate XXII, figures 5 and 6).

Matamoras Triangular (Plate XXII, figures 7, 8, and 9). This type has greater range in size being between one and one-half and one-third of an inch long and being from one inch to one-third of an inch wide. The edges and the base are slightly convex while the chipping is poorly done and the center is often rather thick. A sub-variety of this type may exist in very small points

(one-third of an inch wide and one-half inch long) having an equilateral triangular form. Eighty-one of the main types were found at thirty-three sites. This type appears to be slightly earlier than the other types as it is associated with Huastec V pottery. Other stone artifacts of the Brownsville Complex include small humpbacked scrapers (Plate XIII, figure 13), chipped pin-like drills (Plate XIII, figure 14), pebble hammerstones (Plate XIII, figure 15), and pitted stones. Most numerous of these are the small humpbacked scrapers, thirty of these being found at sixteen sites. This artifact is round in shape, has the ventral side represented by a flat flaked surface while the dorsal has been crudely chipped (or unchipped), and forms a hump. The edges show retouching on the dorsal side in one sector or all the way around. Seven pitted stones were at thirteen sites. These are usually elliptical boulders between two to six inches long and will have one to three pits on them. Sixteen pin-like drills were found on nine sites. The drills are made of flint and are between one and two inches long and in cross-section are roughly round being one-fourth inch in width. Usually they are roughly pointed on both ends. Thirty-seven rough pebbles showing evidence of chipping on one or more sides were found on eleven sites. Probably they reoccur more often than this but their crudity and surfaces covered by dirt discouraged myself and Mr. Anderson from picking them up.

Shell artifacts are more characteristic of this culture than any I know of. Not only do shell artifacts represent the preponderant majority of objects found on Brownsville sites but their variety of forms (and possibly function) is as great as to make description difficult if not tedious. The most distinctive objects found are shell projectile points (Plate XIII, figures

cross-section; one corner is inside a circle. A few round gorgets were 10, 11, and 12). Four hundred and thirty-two of these were gathered on fifty-three sites. These points are made of columella. They have been ground so they are round in cross-section (one-half inch thick), polished to a long tapering point (one to two inches in length) and have a polished beveled square base. Most numerous in frequency of occurrence are shell discs, four hundred and forty-one of which were found at forty-nine sites (Plate XXIII, figures 1, 2, and 3). These vary in size from that of a dime to half a dollar. The edges are usually rough though a few are polished. Similar to these in size and shape are ground shell discs with central perforation (Plate XXIII, figures 5 and 6). The edges of these are usually polished. Four hundred and thirteen of them occurred at forty-seven sites. Next in frequency are beads or tinklers of Oliva shells, sixty-seven having been picked up at thirty-one sites (Plate XXIII, figures 13, 14, and 15). To form these objects the bulbous ends of Oliva shells are cut off and near the pointed end opposite the opening, a hole is drilled or a notch is cut. Fifty-three cylindrical, polished columella center beads or tubes (varying in length from one-fourth of an inch to three inches) were discovered on thirty sites (Plate XXIII, figures 16 and 17). Related to these were found cylindrical, polished columella plugs of the same size. These occur less frequently as twenty-three were at twelve sites (Plate XXIII, figure 6). Frequently occurring, usually in small caches, were pierced shell scrapers (at twenty-seven sites). These are made out of mussel shells and often have two small holes next to the fulcrum.

Of particular interest are the numerous shell pendants or gorgets. I have for convenience divided them into five general types though considerable diversity occurs in each type.

The most numerous of these (forty occurring at twenty-three sites) are what I have called rectangular gorgots. They vary in size from one-half inch wide to two inches wide and in length from one inch long to four inches long (Plate XVIII, figures 7 and 8). Piercing marks at one or both ends and occasionally two holes are found at both ends. A few have rounded corners and give the appearance of being oval (Plate XVIII, figure 12). The second type is also rectangular but is noticeably longer (four to seven inches) than it is wide (usually three-quarters to one inch). This type may have piercing at either end or two piercings from the end through the surface (Plate XVIII, figure 5). Only forty-four occur at twenty-one sites. Of interest (because of similarity to Indian gorgots) are the triangular shell gorgots (Plate XVIII, figure 10). They range in size from two inches wide and three inches tall to four inches wide and five inches tall. Holes usually appear on the base, being two at each corner or three, or are centrally located in the base. A few have holes on the sides and some a hole at all three corners. It is significant to note that they do not have engraved scenes on them.⁵¹ Occurring less frequently are square gorgots (one to one-half by one to one and one-half inches). Usually a central hole will appear though a few have holes at the corners. Three of these have engraved

crosses; one cross is inside a circle. A few round gorgets were found with central holes and some of these with notched edges. They varied from one to four inches in diameter. The final type of gorgets are mollusca shells having holes at the mouth end. Engraving of geometric designs of cross hatching or straight lines occur on their interior (Plate XVIII, figure 11). A few small fishhooks and gouges cut of columella were found. This occurred so rarely here and do occur so frequently in the Corpus Christi region that I suspect they are trade objects from northward along the coast down into the delta region.

Very few bone artifacts were found. Split bone awls, bone projectile points in the form of those of columella and carved hollow bone tubes occur in the types. Antler piercing tools are also present.

TABLE 13

Correlation of Sites and Artifact Types of the Brownsville Complex

Artifact Types	Site Numbers									
	80	82	83	84	85	86	87	88	89	
<u>Stone Projectile Point Types</u>										
Brownsville concave	1	2	1	4					1	
Big Creek Concave Base		1								
Salinas Triangular				1		1				
<u>Stone Tools</u>										
Small unprojected scrapers			1							
Chipped pebble hammerstones										
Fitted stone								1		
<u>Shell artifacts</u>										
Columella points	1	0		1	4		1	2		
Shell scrapers						1				

TABLE 13 (Continued)

Artifact Types	Site Numbers									
	50	52	53	55	56	57	58	59	60	61
<u>Bone Artifacts</u>										
Bone point										
Split bone awl										1
Antler perforator			1							
<u>Shell Ornaments</u>										
Shell discs								1		
Shell disc beads	1	3			2	1	2		1	
Colymbella tubes		3							1	
Shell plugs round		3								
Triangular col.										
pendants	1	3								2
Rectangular shell										
pendants		2						1	1	
Square shell pec-										
dants		1								
Tinklers		1			2		1			

Artifact Types	Site Numbers											
	65	67	68	69	70	71	72	73	74	75	76	77
<u>Stone Projectile</u>												
Point types												
Lawrenceville Concave			4	1		1	1	1			4	1
McGowanville Concave												
Base				2	1						3	
Detachable Triangular				4	1						4	
<u>Stone Tools</u>												
Small Hammerhead												
scraper				3	1							
Pin-like drills				3								1
Fitted Stone									1			
Large oval knife												
<u>Shell Artifacts</u>												
Colymbella points	1	3	10	50	1		1	4			1	
Colymbella gouge												
Shell scrapers					2						4	
Shell fishhook											1	
<u>Bone Artifacts</u>												
Bone point				2								
Split bone awl						1						

TABLE 15 (Continued)

Artifact Types	Site Numbers										
	55	57	58	51	52	53	54	55	56	57	58
<u>Shell Ornaments</u>											
Shell discs			4	45	1		3	3	1	4	
Shell disc beads		1	25	25			1	1			
Columella tubes	1		2	2	1					1	
Shell plugs round				2	3						1
Shell plugs rect.				1						2	
Olive shell beads				1							
Triangular col. pen-											
dents	3	1									
Rect. pendants		2								1	
Long rect. pendants				2					1		
Square pendants						1					
Tinklers	1	1	2	2						2	

Artifact Types	Site Numbers							
	99	100	101	102	103	104	105	107
<u>Stone projectile</u>								
point types	1	2	2					
Brownville concave	1	2	2					
Alc Grants concave				2	2		2	1
base								
Estemeros triangular					1			
<u>Stone Tools</u>								
Small camp. scrapers			3	1	1	1		
Pin-like drills				1	1			
Large oval knife		1						
<u>Shell artifacts</u>								
Columella points			1	2				7
Columella gouge			2					
Shell scrapers			1					2
Shell fishhook						1		
<u>Bone artifacts</u>								
Spill bone awl			1					
<u>Shell Ornaments</u>								
Shell discs	1	1	7		4	2		
Shell disc beads		1	2					5
Columella tubes	1	1						
Shell plugs rect.	1							
Olive shell beads				2		1		1
Rect. pendants								1
Long rect. pendants		1	1					1
Tinklers			1		1			1

TABLE 13 (Continued)

Artifact Types	Site Numbers										
	109	109	110	111	112	113	114	115	116	117	118
<u>Stone Projectile</u>											
<u>Point Types</u>											
Brownsville Sarsoro			1				1	1			1
Nio Grande Sarsoro											
Base				1						3	
Notched Triangular	1							3	1		1
<u>Stone Tools</u>											
<u>Small lump-shaped</u>											
scrapers			1				1				
Pebble Hammerstones	1			2		2				5	6
Pin-like drills											1
Fitted stone(anvil)									1		1
<u>Shell Artifacts</u>											
Collumella points	7	3		14		1		4	1	2	
Collumella gouge		3									
Shell scrapers	6			3		2		1	2	2	
Shell drill								2			
<u>Bone Artifacts</u>											
Bone point				1						1	
Antler perforated				2							
<u>Shell Trunkets</u>											
Shell discs	16	1	6	13		6	1	5	2	7	6
Shell disc beads	3			5	1	1		4			
Collumella tubes	2	1								1	
Shell plugs rect.				1							
Olive shell beads				3				1	2	6	1
Tri. col. pendants							1				
Rect. pendants				1				1			1
Long rect. pendants	2										
Winklers				3	2					1	2

Artifact Types	Site Numbers										
	119	120	121	122	123	124	125	126	127	128	129
<u>Stone Projectile</u>											
<u>Point Types</u>											
Brownsville Sarsoro	4	4	7	1	1			1			
Nio Grande Sarsoro	11	13	7							2	
Notched Tri-											
angular	2	3	3		1						

TABLE 13 (Continued)

Artifact Types	Site Numbers										
	119	120	121	122	123	124	125	126	127	128	129
<u>Stone Tools</u>											
<u>Shell Implements</u>											
scrapers			5								
cobble hammerstones					1						1
Pin-like drills			1								
Pitted stone(anvil)	1	1									
<u>Shell Artifacts</u>											
Collusella points	28	7	64	1	7	1	14				1
Collusella gouge	1	1			3			1	1		
Shell scrapers	22		2							1	
Flake	2	2									
<u>Bone Artifacts</u>											
Bone point	5		7					1			
Split bone awl	2	1									
Antler perforated		1									
<u>Shell ornaments</u>											
Shell discs	28	5	63	1	11					2	3
Shell disc beads	25	2	120		5	3		1	12	1	1
Collusella tubes	1	1	8		2	3					
Shell plugs round	2		1		1						
Shell plugs rect.		1									
Olive shell beads	1	4				1					
Tri. col.pendants	1	2	1			1	1				
Rect. pendants	5	3	2			2	1				1
Long rect. pendants	3	1	14						1		
Square pendants			1			2		1			
Rect. cut shell		1	22								
Scalloped shell arm-											
band			1								
Vinklers	4	2	6			7			3	5	
<u>Bone Ornaments</u>											
Cut human jaw		1							2		
Carved Bone Tubes		1									

Artifact Type	Site Numbers									
	133	134	135	136	137	138	139	140	141	142
<u>Stone Projectile</u>										
<u>Point Types</u>										
Brownville Concave		1			2	2	3			
Big Breeds Concave										
base						1	5		1	
Notched Triangular	2	3	1	4	5	3	1	1		

TABLE 15 (Continued)

Artifact Types	Site Numbers									
	144	145	146	147	148	149	151	152	153	154
<u>Shell Artifacts</u>										
Columella points		3	27	1	12	3	3	2	4	15
Columella gouge										
Shell scrapers		6	1	3	5	1	2	6		5
<u>Bone Artifacts</u>										
Bone point			1						1	
Split bone awl						1				
Antler perforated			1							
<u>Shell Ornaments</u>										
Shell discs		7	15	3	4	3	5	4	20	23
Shell disc beads				5	2	4	4	4	10	5
Columella tubes		1		1	1				1	2
Shell pings, round	1		1	1						
Olive shell beads				1						
Tri. col. pendants					2		1		5	
Rect.						1	1			
Long rect. pendants	1	1	3						1	1
Square pendants						1		3		
Vinklers	1		2		2	1				

Artifact Types	Site Numbers					
	155	156	161	241	157	96
<u>Stone Projectile Points</u>						
Brownsville Concave	3		1		1	5
Rio Grande Concave Base	4	1	3			3
Watauga Triangular	2		4			1
<u>Stone Tools</u>						
Small unflaked scrapers	3					
Fitted stone (scraper)	4	1				
<u>Shell Artifacts</u>						
Columella points	2	40	1	1		14
Columella gouge	1					
Shell scrapers	2	5		5		
<u>Bone Artifacts</u>						
<u>Shell Ornaments</u>						
Shell discs	6	15				3
Shell disc beads		20	3			5
Columella tubes	1	5	1			1
Olive shell beads						1
Tri. col. pendants	1					
Rect. pendants		2				1
Small shell ornaments						

TABLE 14

NUMBER AND FREQUENCY OF BROWNSVILLE ARTIFACTS

Artifact	Total No. of the Type	Number of Sites at Which Type Appears
Brownsville Concave	82	40
Big Orange Concave		
Base	84	29
Matamoros Triangular	81	33
Small hammer-headed scrapers	30	24
Chipped Pebble Ham- merstones	27	11
Pin-like drills	10	0
Pitted stone	17	13
Large ovoid knife	1	1
Columella points	441	53
Columella gouges	14	9
Shell scrapers	100	20
Fish hook	8	6
Shell drill	8	1
Bone point	19	8
Split Bone Awl	12	10
Twister perforated	8	4
Shell discs	457	50
Shell disc beads	482	47
Columella tubes	60	30
Shell plugs round	16	12
Shell plugs rect.	11	5
Olive shell beads	54	14
Tri. col. pendants	17	10
Rect. pendants	35	15
Long rect. pendi.	43	21
Square pendants	9	7
Rect. cut shell	23	2
Scallop shell sym- bols	8	4
Tinklers	66	20
Old Human jaw	5	1
Cervical bone tubes	2	2

Culture Contacts of the Complex

The Brownsville culture contacts were primarily with the Huastec. Moreover, these contacts were carried on over a long period of time (Huastec Period V and VI) and appeared to be of an intimate nature. The number of sites at which Huastec materials will be listed below and should attest to the fact that these contacts were numerous. As may be noted in the list, the shards are predominantly of Huastec Period VI with a few from Period V. However, more than mere trading appeared to have occurred between the two cultures. The identical use of projectiles of the same type, such as: Brownsville Concave, Rio Grande Concave Base, Hatanterio Triangular, and the occurrence in both complexes of shell tinkler, shell discs, shell disc beads, columella tubes, shell fishhooks and triangular shell porgets would appear to indicate a long and intimate period of influencing between two cultures of very different levels of complexity. The hypothesis also was put forward (and negated) that the contacts might have been the results of contacts of Huastec hunters with northern people. The large number of utilitarian objects (pottery) in these cultures, the common objects in Huastec and Brownsville cultures (mentioned above), the finding of non-utilitarian objects such as jadeite beads and celts, spindle whorls, obsidian, a figurine head probably obtained from the Huastecs, seem to indicate something more than the occasional bartering of hunters with nomadic neighbors. (Plate XLIV, Figures 14, 15, 16, and 21). In fact, no hypothesis seems to fit the facts except that Huastec were consciously sending traders into this region. The purpose of these traders may have been to obtain bow and arrows, pipes, and shell artifacts in exchange for Huastec objects.

A number of projectile points indicate contact between the Brownsville complex and complexes of central Texas. Found at site Tn^C91 was a triangular bodied point with a flaring stem and a straight base. It was three-fourths of an inch long and one-half inch wide and is very thin (about one-sixteenth of an inch). The point is made from a gray, translucent, sandy-feeling flint. A. Bringer identified this point as being Holly Spreading Stem type, diagnostic of the Austin Series, a prehistoric group (probably Tarrant) of central Texas. The flint also was noted as being very megascopically the same as that of the Austin region of Texas (Plate XIV, figure 2). Found on site Tn^C119 was one small triangular point three-fourths inch long, two-thirds inch wide with a concave base and side notches which Kelly stated was very similar to the Recent Concave type (Plate XIV, figure 3).⁶² This point is found (often occurring with Hutto Concave type on a number of late prehistoric sites, 1400 to 1800 A. D.) in the central Texas region. Also collected on this site was a large side notched point. This point is one and seven-eighths inches long and one inch wide across the body (at the widest point), has a convex edge, a long shallow side notch and a convex base. Kelly's distribution maps of projectile points in Texas indicate a similar type (as yet unnamed) that is distributed in central Texas, north of Austin and San Antonio (Plate XIV, figures 6 and 7). Chronologically it appears to be late prehistoric and occasionally is associated with late Clear Fork dart points. Found on Tn^C121 was a small (one inch long, three inches wide) triangular bodied point with a tapering long base. Tom Campbell informed me that this type is found distributed along the Neches River and probably

⁶² Kelly, personal communication.

is late prehistoric. On Tn^C123 Anderson picked up one small projectile that J. G. Kelley immediately identified as Hutto Convex (Plate XXIV, figure 3). The point is about one inch long with tapering sides, a small well-defined side notch and a rounded convex base. It appears in late prehistoric times in central Texas.⁵³ From one of Anderson's sites, numbered Tn^C137, Tom Campbell also picked out a projectile triangular form being one and three-fourths inches long and one-half inch wide at the base which had tapering serrated edges.⁵⁴ This point, he infers, is found in the Corpus Christi region and northwest in sites of late prehistoric times (Plate XXIV, figure 11). The final point is roughly triangular, being one and one-half inches long and one-half of an inch wide at the base. The base is definitely concave, the edges are slightly tapering (being slightly concave and then are slightly convex as they approach the point). The only type I could find similar to it was to be found in northeast Texas and has been called Talco Triangular (Plate XXIV, figure 10). This type is to be found in the Titus and Fowler's feet of late prehistoric times (as well as in a number of other feet of that time period). It is made out of flint completely foreign to my area.

Three types of drills were found that probably came from northern Texas (since none of this type are to be found in Mexico or the immediate region in Texas). Two of these drills are of the flaring based variety (Plate XXIV, figure 4), another is winged (Plate XXIV, figure 5), while the other is a rectangular based type with a very short shaft (Plate XXIV, figure 6). The first three were found on Tn^C55, Tn^C134 and Tn^C139, the next at Tn^C140, while the last was at Tn^C121. These types of drills occur

⁵³ Campbell, personal communication.

⁵⁴ ibid.

over most of northern Texas, in late prehistoric times and are slightly more concentrated to the east than to the west.

A third group of trade artifacts comes from the European (Spanish) culture groups. These consist of round ground pottery discs made from European glass decorated sherds. Such were found at Tn^c120 and Tn^c121. Some of the other wheel-made sherds were found on Brownsville sites which I have usually assumed to have been accidentally very recently dropped, but may actually be of the prehistoric period (1545-1763 A. D.). However, as good as the glass sherd made into Brownsville type pottery disc was the finding of small triangular projectile points of the Brownsville Concave type manufactured from green bottle glass (Plate VIII, figure 4). One of these I picked up on Tn^c88 while the other two came from two sites in Cameron county.

The final group of trade materials found in the Brownsville complex appear to have come from the neighboring (and evidently partly contemporaneous) Itasca complex. Vestiges triangular types were found at Tn^c88, Tn^c89, Tn^c91, Tn^c110, Tn^c121, and Tn^c121. The Itasca Round Base type was found at Tn^c88, Tn^c111, Tn^c120, and Tn^c122.

Chronological Position of the Complex

The Brownsville complex appeared to have been contemporaneous with the Itasca during Periods V and VI as well as the part of the Itasca complex, the Austin Series, Clear Fork Texas and other complexes of central Texas. The basis for this conclusion is the trade points in the Brownsville complex.

The earlier extension of the culture is defined by three sets of facts. One, the Itasca Period V can be correlated with Yola ^{Maya} and it in turn with Mexican Period at Chichén Itzá and the Maya Calendar. In the Maya the calendrical authorities date

the beginning of the Mexican Period (and therefore Huasteca Period V) as about 1000 A. D.⁵⁵ Secondly, the absence of Langtry stemmed points (dated indirectly by dendrochronologically dated shanks from the Southwest as 800 to 1000),⁵⁶ and their presence in the surrounding and nearby Abasco and Sapelo complexes seem to attest to the fact that the Langtry stemmed points were no longer being made when the Brownsville complex flourished. The significance of this absence is important since no Langtry stemmed points were found in the twenty thousand projectile points picked up in the Brownsville area. Therefore, from this conclusion the Brownsville must have come after 1000 A. D. The final evidence is relative, not exact as the other facts. In the region of the mouth of the San Fernando River site Tn^o 53, a Brownsville complex site was found in a strata over the remains of Tn^o 53, an Abasco complex site. This stratigraphy appears to be further confirmed by Anderson's work in Cameron in which he found a number of burial sites he called the "Old Gayo Culture." This group of artifacts was stated as preceding the Brownsville materials. An examination of the materials of the "Old Gayo complex" reveal that the only projectile points found (three) were Abasco complex points, those being (two) Testuges triangular and (one) Abasco Round Base. Thus it would appear that in the Rio Grande Delta area the Brownsville complex replaced the Abasco complex which in turn continued to exist south and west of the Delta Region.

The glazed sherd discs and the glass projectile points would seem to indicate that the Brownsville complex lasted up until historic times. The Austin Focus point, a protohistoric

⁵⁵Acosta, op. cit.

⁵⁶Kelley, Campbell and Lehmer, op. cit.

focus tentatively identified with the Tenskawa tribe, tends to confirm this conclusion. Thus the final date of this culture might have been somewhere between 1519 (date of Pineda-Garay expedition) and 1730 (the conquest of Tamaulipas by Caceron). Probably a date of about 1650 would be the best approximation. The ethnographic data places the Comacuerdo tribe consistently on maps as being a group occupying the Delta Region of the Rio Grande during this time period. Thus it is plausible that the Comacuerdo probably had the material culture represented in the Brownsville complex. This tentative conclusion should be verified by further work in the area.

Summary

As a summary of the material culture of the Brownsville complex, I offer the following trait list. This trait list is composed of traits that consistently recur at numerous sites in this area (for further details see pages 134 to 136).

Ecological Situation

1. Small camp site located on hills.
2. Hunting and food gathering economy.
3. Nomadic existence.
4. A few burnt skulls give evidence of cannibalism.
5. Irregular hearths.

Burial Customs

1. Flexed burials
2. Burial in pits
3. Burial grave goods very rare.
4. Grave goods when they occur consist of Huastec articles and shell beads.

TABLE 15

PROPERTY LAW: TRUSTS AND ESTATES

Trade Objects or Type	Site Numbers											
	133	147	148	152	123	127	126	117	97	92	154	58
Period VI shrap			1	1	2	4		1	2			
Marble B/W									1			1
Marble Eaten/Buf							1					
Marble Polychrome			2						1			
Marble Red			1						13	2		
Marble Round Base					1							2
Flaring base Spill												1
Marble relief	1											
Marble Tray		1										
Marble Bowl									1			

[illegible]

TABLE 15 (Continued)

Trade Objects or Type	Site Numbers											
	111	123	151	152	93	130	122	110	127	31	120	151
Tanzol Polychrome	1							1	1		1	
Butte convex							1					
Tanzol concave								1				
Jadite Objects							2					
Wapiti Red			3	1						1		
Talco triangular shards												
Tortugas triangle- lar									1	1		1
Abasco round base	1	1		1								
Large side- notched								1				
Flaring basel drill						1	1					1
Las Flores fine paste									3			
Las Flores relief												
Pipe				1								1
Spindle whorl								1				
Offing Bone								1				

Trade Objects or Type	Site Numbers	
	127	120
Projectile Point of glass		1
Wheel-made sherds		2
Huastec B/V	1	

Material Objects for Exploitation of Environment.

1. Brownsville concave projectile points.
2. Rio Grande Concave projectile points.
3. Metamoras Triangular point.
4. Small humpbacked scraper.

6. Caracol (columnella) projectile points.
8. Pebble hammerstones.
7. Fitted stones.
9. Flint pin-like drills.
7. Split bone awls.
10. Bone projectile points.
11. Shell scrapers.

Artistic Objects

1. Shell discs
2. Shell disc beads
3. Shell tinklers.
4. Triangular shell pendants.
5. Round shell pendants.
6. Rectangular shell pendants.
7. Long rectangular shell pendants.
8. Square shell pendants.
9. Shell tubes
10. Shell plugs.
11. Olive shell beads.
12. Columnella gouges.

Objects Possibly Belonging to the Complex

1. Shell fishhooks.
2. Antler perforators.
3. Hollow carved bone tubes.
4. Cut human jaws.
5. Scalloped shell arm bands.
6. Tubular pipes made from pumice.
7. Pottery discs.
8. Incised pebble pendants.

The following table will perhaps indicate best the chronological and cultural relationships of this group. Arrows indicate trade relationships while vertical arrangements represent chronology at various areas.

TABLE 16

CORRELATION OF SEQUENCES FROM CENTRAL TEXAS TO TAMPICO

Tampico Panuco Region	Plain Region	Delta Region	Central Texas (Tonkawa)
Huastec VI	Abasco	Brownsville	Austin Texas Focus
		Brownsville	Other Central Texas Foci
Huastec V		Brownsville	Clear Fork
Huastec IV	Abasco	Abasco	

Pages from Typed MSS ⑪ #22
135-160 Removed from
ANDERSON'S SURVEY FILE ~~#~~

